

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY

EXITRAZ WP

CATTLE DIP AND SPRAY

ACTIVE CONSTITUENT: 500 g/kg AMITRAZ

For the control of organophosphate and synthetic pyrethroid resistant Cattle Tick, Paralysis Tick and Bush Tick on beef and dairy cattle, and Cattle Tick on sheep, goats and deer.

Resistance can develop to any chemical.

500 g sachet

Illegal to sell unit separately



ZERO (0) DAYS
WITHHOLDING PERIODS
FOR MEAT AND MILK



The Hunter River Company Pty Limited

ACN 133 798 615 | 74-76 Drummond Rd, Shepparton VIC 3630 | Ph: (03) 5820 8400

Read the outer pack for full instructions.

DIRECTIONS FOR USE

Contraindications:

DO NOT USE on horses, other equines, felines or Chihuahua dogs.

Dosage and Administration:

ROUTINE TICK CONTROL (NSW, QLD, VIC, NT only): For routine control of specific types of ticks on cattle, apply EXITRAZ at the following intervals:

CATTLE TICK (*Rhipicephalus [Boophilus] microplus*): intervals of 19 to 21 days.

BUSH TICK (NZ CATTLE TICK) (*Haemaphysalis longicornis*): intervals of 7 to 21 days.

PARALYSIS TICK (*Ixodes holocyclus*): intervals of 7 to 10 days. DO NOT leave longer intervals between treatments when ticks are active. For further information consult your Stock Inspector, District Veterinary Officer or Tick Extension Officer.

SACHET INSTRUCTIONS: This pack dissolves on contact with water. Open outer sachet. To dissolve in water, simply tip inner soluble pack directly into bucket and stir. Dispense as per mixing instructions in table on the outer pack.

WITHHOLDING PERIODS

MEAT: Zero (0) days.

MILK: Zero (0) days.

TRADE ADVICE

EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.

SAFETY DIRECTIONS

May irritate the eyes and skin. Avoid contact with eyes and skin. DO NOT inhale dust or spray mist. When preparing dip or spray or using the prepared dip or spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash contaminated clothing, gloves and face shield.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

ENVIRONMENTAL PROTECTION

EXITRAZ is toxic to fish. DO NOT contaminate dams, rivers, streams or other waterways with EXITRAZ, used containers or dip or spray wash containing EXITRAZ. DO NOT use empty containers for any other purpose. If used in accordance with the directions and recommendations, EXITRAZ will not give rise to hazards to livestock or wildlife.

DISPOSAL

Dispose of container by wrapping with paper and putting in garbage.

STORAGE

Store below 30°C (room temperature) in the closed original container in a dry, well-ventilated area, out of direct sunlight.

APVMA Approval No.: 86911/129769

Harmful if swallowed.

May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated exposure.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Get medical advice or attention if you feel unwell.

IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

B:

EXP: