

Safety Data Sheet according to WHS Regulations

Print date: 17.01.2024 Revision date: 12.01.2024

1 Identification

Product Name: APPARENT BUFFER 700
Other Means of Identification: Mixture
APVMA Approval Number: 67214

Recommended Use of the Chemical and Restriction on Use: Sufactant for agricultural applications

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Eye Damage 1 H318 Causes serious eye damage.



Skin Corrosion/Irritation 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Signal Word Danger

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.
P280 Wear eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

according to WHS Regulations

Print date: 17.01.2024 Revision date: 12.01.2024

Product Name: APPARENT BUFFER 700

(Contd. of page 1)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
CAS: 79-09-4	Propionic acid	30-40%
	Flammable Liquids 3, H226; Skin Corrosion/Irritation 1B, H314; Acute Toxicity (Oral) 4, H302; STOT SE 3, H335	
CAS: 26027-38-3	Polyoxyethylated p-nonylphenol	30-40%
	Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315; Eye Irritation 2A, H319	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

Eye Contact:

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Do not use a solid water stream.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and smoke.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists. Ensure adequate ventilation.

(Contd. on page 3)

according to WHS Regulations

Print date: 17.01.2024 Revision date: 12.01.2024

Product Name: APPARENT BUFFER 700

(Contd. of page 2)

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Decontaminate spill area with detergent and water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight. Keep away from strong oxidising agents and bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 79-09-4 Propionic acid

WES TWA: 30 mg/m³, 10 ppm

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Use an approved organic vapour respirator (filter type A) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Viton or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid
Colour: Dark brown
Odour: Vinegar-like

Odour Threshold:

pH-Value:

Melting point/freezing point:

No information available

3.6 (1 % solution)

No information available

(Contd. on page 4)

according to WHS Regulations

Print date: 17.01.2024 Revision date: 12.01.2024

Product Name: APPARENT BUFFER 700

(Contd. of page 3)

Initial Boiling Point/Boiling Range: No information available

Flash Point: No information available Flammability (solid, gas): Not applicable

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure at 25 °C:5 hPa (propionic acid)

Relative Density at 20 °C: 1.027

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Dispersible

Partition Coefficient (n-octanol/water): No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use. **Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: Strong oxidising agents and bases.

Hazardous Decomposition Products: Oxides of carbon and smoke.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:			
CAS: 79-09-4 Propionic acid			
Oral	LD50	2,600 mg/kg (Rattus norvegicus (rat))	
	LD50	500 mg/kg (Oryctolagus cuniculus (rabbit))	
CAS: 26027-38-3 Polyoxyethylated p-nonylphenol			
Oral	LD50	4,290 mg/kg (Mus musculus (mouse))	
		1,410 mg/kg (Rattus norvegicus (rat))	
	LD50	2,830 mg/kg (Oryctolagus cuniculus (rabbit))	

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: Causes skin irritation. **Eye:** Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

(Contd. on page 5)

according to WHS Regulations

Print date: 17.01.2024 Revision date: 12.01.2024

Product Name: APPARENT BUFFER 700

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and Degradability: Readily biodegradable.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated
Proper Shipping Name Not regulated
Dangerous Goods Class Not regulated
Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 67214.

16 Other Information

Date of Preparation or Last Revision: 12.01.2024

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

according to WHS Regulations

Print date: 17.01.2024 Revision date: 12.01.2024

Product Name: APPARENT BUFFER 700

(Contd. of page 5)

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 3: Flammable liquids – Category 3

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 1B: Skin corrosion/irritation - Category 1B

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.