

POISON

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY**

PASTORAL / AG™

TRIO LAB LV

**3-WAY MINERALISED COMBINATION DRENCH
FOR SHEEP AND CATTLE**

ACTIVE CONSTITUENTS:

**80 g/L LEVAMISOLE HYDROCHLORIDE, 45.3 g/L OXFENDAZOLE,
5 g/L COBALT (as DISODIUM COBALT EDTA), 2 g/L ABAMECTIN,
1 g/L SELENIUM (as SODIUM SELENATE)**

For the treatment and control of internal parasites of sheep including those resistant to Macrocytic Lactone (ML), Benzimidazole (BZ) or Levamisole (LEV) drench families.

For the treatment and control of internal parasites of cattle including those resistant to Macrocytic Lactone (ML) drench family.

To supplement diets which may be deficient in selenium and cobalt.



10 L

PASTORAL AG Triolab LV 3-Way Mineralised Combination Drench for Sheep and Cattle is a combination of three active ingredients including abamectin (a member of the Macrocyclic Lactone (ML) family of chemicals); oxfendazole (a member of the Benzimidazole (white) family of chemicals) and levamisole hydrochloride (an Imidazothiazole and member of the clear drench family of chemicals). It also contains two minerals including selenium (as sodium selenate) and cobalt (as disodium cobalt EDTA).

PASTORAL AG Triolab LV 3-Way Mineralised Combination Drench for Sheep and Cattle provides treatment and control of the following roundworms, sensitive to at least one of the three active ingredients in this product.

SHEEP

Adult gastro-intestinal roundworms

Barber's Pole Worm – *Haemonchus contortus*
Small Brown Stomach Worm – *Teladorsagia circumcincta*
Stomach Hair Worm – *Trichostrongylus axei*
Black Scour Worm - *Trichostrongylus colubriformis**; *T. vitrinus*
*(Including *T. colubriformis* resistant to a combination of benzimidazoles and levamisole)
Small Intestinal Worm – *Cooperia curticei*; *C. oncophora*
Thin Necked Intestinal Worm – *Nematodirus filicollis*; *N. spathiger*; *N. abnormalis*
Hookworm – *Bunostomum trigonocephalum*
Intestinal Threadworm – *Strongyloides papillosus*
Large Bowel Worm – *Oesophagostomum venulosum*
Nodule Worm – *Oesophagostomum columbianum*
Large Mouthed Bowel Worm – *Chabertia ovina*
Whipworm – *Trichuris ovis*

CATTLE

Adult gastro-intestinal roundworms

Barber's Pole Worm – *Haemonchus placei*
Small Brown Stomach Worm – *Ostertagia ostertagi*
Stomach Hair Worm – *Trichostrongylus axei*
Black Scour Worm – *Trichostrongylus longispicularis*
Small Intestinal Worm – *Cooperia oncophora*; *C. pectinata*; *C. punctata*
Thin Necked Intestinal Worm – *Nematodirus helvetianus*
Hookworm – *Bunostomum phlebotomum*
Capillarids – *Capillaria bovis*
Nodule Worm – *Oesophagostomum radiatum*

Resistance may develop to any chemical. Ask your local veterinarian or animal health advisor for recommended parasite management practices for your area to reduce resistance development. It is advisable that a drench resistance test should be conducted before any drench is used.

SAFETY DIRECTIONS

Harmful if inhaled. Avoid contact with eyes and skin. When opening the container and using the product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length nitrile chemical resistant gloves. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor – Poisons Information Centre. Phone Australia 13 11 26.

ADDITIONAL USER SAFETY

Additional information is listed in the safety data sheet (SDS).

ENVIRONMENTAL PROTECTION

Very toxic to aquatic life. Do not contaminate dams, rivers, streams or other waterways with the chemical or used containers.

DISPOSAL

Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. Do not dispose of undiluted chemicals on-site.

If the container has the drumMUSTER logo visible, and has been thoroughly cleaned and dried, and is free of any visible residues, it can be recycled at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be recycled separately at the drumMUSTER collection site.

If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

STORAGE

Store below 30°C (room temperature) in the closed original container in a well-ventilated area. Protect from light.

May damage fertility or the unborn child.

Do not get in eyes, on skin, or on clothing.

Wash contacted areas thoroughly after handling.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Store locked up in a dry place. Keep cool.

B:

EXP:



6615|LEFT|1

6615|RIGHT|1