

SAFETY DATA SHEET

SECTION 1

IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: **Apparent Suntan Flowable Seed Dressing**

Other Names: Triadimenol + Cypermethrin Seed Dressing.
Use: Agricultural seed dressing fungicide for wheat, barley, oats.
Company: Apparent Pty Ltd
Address: Suite G.08 762 Toorak Road, Hawthorn East, Vic 3123
PO Box 3092, Cotham PO, Kew, Vic 3101
ACN/ABN: 143 724 136
Telephone Number: 03 9822 1321
Email: enquiries@apparentag.com.au
Emergency Contact: 0411 227 338

SECTION 2

HAZARDS IDENTIFICATION

**Classified as hazardous according to criteria of Safe Work Australia.
Not classified as a Dangerous Good according to the ADG Code**

Globally Harmonised System (GHS) classification of the substance/mixture:
Sensitization – Skin: Hazard category 1, 1A, 1B.

Signal Word: WARNING.

Hazard statements:
H317 May cause an allergic skin reaction.

Precautionary Statements:
Prevention:
P261 Obtain special instructions before use.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P321 Specific treatment (see Safety Directions on the product label).
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.

Disposal:
P501 Dispose of contents/container in accordance with national regulations.

Pictogram:



SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

CHEMICAL	CAS NUMBER	PROPORTION
Triadimenol	55219-65-3	150 g/L
Cypermethrin	52315-07-8	4 g/L
Other ingredients (including water) determined not to be hazardous		Balance

SECTION 4**FIRST AID MEASURES****FIRST AID**

- Ingestion:** If swallowed contact a doctor or the Poisons Information Centre on 13 11 26. Rinse mouth thoroughly with water.
- Eye contact:** If in eyes, immediately hold eyelids open and wash with clean water until chemical is removed. Seek medical advice.
- Skin contact:** Remove contaminated clothing and wash affected areas thoroughly with soap and water. Launder contaminated clothing before re-use. If irritation occurs and persists, seek medical advice.
- Inhalation:** Overexposure by inhalation is improbable. Check for other causes of observed symptoms, move victim to fresh air and seek medical advice.

Advice to Doctor: Treat Symptomatically.

SECTION 5**FIRE FIGHTING MEASURES**

Specific Hazard: Not combustible.

Extinguishing media: Use extinguishing media suitable for surrounding area. Suggested extinguishing media includes carbon dioxide, foam or dry agent. If not available, use waterfog or fine water spray but ensure all runoff is contained.

Hazards from combustion products: There is no risk of an explosion from this product under normal circumstances if involved in a fire. Product is unlikely to decompose until heated to dryness. On further heating will emit toxic fumes. Firefighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or smoke.

Precautions for fire-fighters and special protective equipment: Isolate fire area. Evacuate downwind residents. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke or vapours generated.

SECTION 6**ACCIDENTAL RELEASE MEASURES**

Emergency procedures: Wear cotton overalls buttoned to the neck and wrist and chemical resistant gloves. In the case of spillage, stop leak if safe to do so, and contain spill. Absorb spilled material with absorbent material such as sand, clay or cat litter and dispose of waste in accordance with the requirements of Local or State Waste Management Authorities. Keep out animals and unprotected persons.

Material and methods for containment and cleanup procedures: To clean spill area, tools and equipment, wash with a solution of soap, water and acetic acid/vinegar. Follow this with a neutralisation step of washing the area with a bleach or caustic soda ash solution. Finally, wash with a strong soap and water solution. Absorb, as above, any excess liquid and add both solutions to the drums of waste already collected.

After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Launder protective clothing before storage or re-use.

SECTION 7**HANDLING AND STORAGE**

Precautions for Safe Handling: Although no specific personal protective equipment is required it is good occupational practice to wear suitable personal protective equipment such as overalls and chemical resistant gloves. Avoid contact with eyes and skin. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. Seed treated with this product must not be used for animal or human consumption. Bags or other containers which have held treated seed are not to be used for any other purpose. DO NOT allow seed treated with this product to contaminate grain intended for human consumption. DO NOT use seed treated with this product for human consumption. Bags which have held treated seed are not to be used for any other purpose.

SECTION 7 HANDLING AND STORAGE (Continued)

Conditions for Safe Storage: Store in the closed, original container in a cool, dry place out of the reach of children. DO NOT store in direct sunlight. This product is a Schedule 5 Poison (S5) and must be stored, transported and sold in accordance with the relevant Health Department regulations.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards: Exposure guidelines have not been established for this product by Safe Work Australia.

Biological Limit Values:

No biological limit allocated.

Engineering controls:

Use in well ventilated areas. Keep containers closed when not in use.

Personal Protective Equipment (PPE):

General: Although no specific personal protective equipment is required it is good occupational practice to wear suitable personal protective equipment such as overalls and chemical resistant gloves. Avoid contact with eyes and skin. Wash hands after use.

Personal Hygiene: May irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. Clean water should be available for washing in case of eye or skin contamination. Wash skin before eating, drinking or smoking.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Blue coloured viscous liquid.
Odour:	No data available.
Boiling point:	Approximately 100°C.
Freezing point:	Approximately 0°C.
Specific Gravity:	1.0 approx at 20°C.
Solubility in Water:	Disperses/suspends in water.
pH:	4.5 – 5.5.
Flammability:	Not flammable.
Corrosive hazard:	Not corrosive.
Flashpoint (°C):	Not flammable.
Flammability Limits (%):	Not applicable.
Poisons Schedule:	This product is a Schedule 5 (S5) poison.
Formulation type:	Suspension Concentrate for seed treatment.

SECTION 10 STABILITY AND REACTIVITY

Chemical Stability: Product is considered stable in ambient conditions for a period of at least 2 years after manufacture.

Conditions to avoid: Do not store for prolonged periods in direct sunlight.

Incompatible materials: Avoid strong oxidising agents.

Hazardous decomposition products: Product is unlikely to decompose until heated to dryness. On further heating may emit toxic fumes.

Hazardous reactions: Hazardous polymerisation will not occur.

SECTION 11 TOXICOLOGICAL INFORMATION

No specific data is available for this product as no toxicity tests have been conducted on this product. Information presented is our best judgement based on similar products and/or individual components. As with all products for which limited data is available, caution must be exercised through the use of protective equipment and handling procedures to minimise exposure.

SECTION 11 TOXICOLOGICAL INFORMATION (Continued)**ACUTE EFFECTS**

Ingestion: Oral exposure to this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Skin: Prolonged contact with the concentrate may cause irritation. Prolonged or repeated exposure may cause skin sensitization. Acute dermal LD₅₀ > 2000 mg/kg (calculated).

Eye: The concentrate may cause irritation of the eyes.

Inhalation: May cause irritation to the respiratory tract.

Long Term Exposure:

The active ingredients have been extensively tested on laboratory mammals and in test tube systems. No evidence of mutagenic, carcinogenic, teratogenic or reproductive effects was obtained.

SECTION 12 ECOLOGICAL INFORMATION**Environmental Toxicology:**

Species	Triadimenol	Cypermethrin
Rainbow trout	LC ₅₀ (96 hr) = 21.3 mg/L	LC ₅₀ (96hr) = 0.00069 mg/L
Daphnia magna	LC ₅₀ (48 hr) = 51 mg/L	LC ₅₀ (48 hr) = 0.0003 mg/L
Birds	LD ₅₀ for > 2000 mg/kg (Bobwhite quail)	LD ₅₀ > 10,000 mg/kg (Mallard duck)
Algae	EC ₅₀ (96 hr) = 9.6 mg/L	-

Environmental Fate: Triadimenol is biodegradable with approximately 70% degraded in 28 days. Half-life in sandy loam is 110-375 days and 240-270 days in a loam soil. Bioconcentration factor is 21 (very low). Cypermethrin degrades quickly and does not accumulate in soil. Both Triadimenol and cypermethrin have little potential to bioaccumulate.

SECTION 13 DISPOSAL CONSIDERATIONS

Spills and Disposal: Wear prescribed protective clothing and equipment. Keep material out of streams and sewers. Dispose of drummed wastes, including decontamination solution in accordance with the requirements of Local or State Waste Management Authorities. In rural areas contact ChemClear <http://www.chemclear.com.au> for help with collection of unwanted rural chemicals. Ideally the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear®).

Disposal of empty containers: Triple-rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SECTION 14 TRANSPORT INFORMATION

Road & Rail Transport: This product is exempt from classification as a Dangerous Good in packs less than 3,000 kg or litres under the Australian Code for the Transport of Dangerous Goods by Road and Rail. For bulk shipments this product is a class 9, UN 3082. (See special provision AU01).

Apparent Suntan Flowable Seed Dressing is classified as a Marine Pollutant according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA). If transporting by sea or air the following Dangerous Goods Classification applies:-

UN 3082, Class 9 (Miscellaneous Dangerous Goods), Packing Group III, Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Cypermethrin). Hazchem code ●3Z. Hazard Identification Number (HIN) 90.

SECTION 15**REGULATORY INFORMATION**

Under the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP), this product is a Schedule 5 poison.

This product is registered under the Agricultural and Veterinary Chemicals Code Act 1994. Product Registration No. 81145.

This product is classified as a Hazardous Substance under the criteria of Safe Work Australia. Xi: Irritating.

This product is not classified as a Dangerous Good according to the ADG Code for packs less than 3000 litres (SP AU01) (7th Ed).

This product is classified as a Dangerous Good according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA).

Requirements concerning special training:

Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

SECTION 16**OTHER INFORMATION**

Issue Date: 19 October 2017. Valid for 5 years till 19 October 2022 (First issue).

Key to abbreviations and acronyms used in this SDS:

ADG Code Australian Dangerous Goods Code (for the transport of dangerous goods by Road and Rail).

Carcinogen: An agent which is responsible for the formation of a cancer.

Genotoxic: Capable of causing damage to genetic material, such as DNA.

Lavage: A general term referring to cleaning or rinsing.

Mutagen: An agent capable of producing a mutation.

Myotoxic: Having or being a toxic effect on muscle.

Pneumonitis: A general term that refers to inflammation of lung tissue.

PPE: Personal protective equipment.

Teratogen: An agent capable of causing abnormalities in a developing foetus.

Safe Work Australia: Formally known as Australian Safety & Compensation Council (ASCC) which was formally known as the National Occupational Health & Safety Commission (NOHSC).

References

1. "Search Hazardous Substances". Safe Work Australia website. (2017).
2. "Approved Criteria for Classifying Hazardous Substances" 3rd Ed. NOHSC Australia. [NOHSC:1008 (2004)]. October 2004.
3. Globally Harmonized System of Classification and Labelling of Chemicals (GHS). United Nations, 2009.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

End SDS